

Technical data

Categories No: TNM8

Name: Purified Multi-walled carbon nanotubes (MWCNTs)

Purity: >98%

OD: 30-80nm [OD=Outer Diameter]


Length: <10um

SSA: >60m²/g [SSA=Specific Surface Area]


Color: Black

Making method: CVD


Testing pictures




Transmission Electron Microscopy (TEM)




High Resolution Transmission Electron Microscopy (HRTEM)




Scanning Electron Microscopy (SEM)




Raman Spectra



X-ray diffraction pattern



TGA



Application instruction

Potential Applications of Carbon Nanotubes

Additives in polymers

Catalysts

Electron field emitters for cathode ray lighting elements

flat panel display

gas-discharge tubes in telecom networks

Electromagnetic-wave absorption and shielding

Energy conversion

Lithium-battery anodes

Hydrogen storage

Nanotube composites (by filling or coating);

Nanoprobes for STM, AFM, and EFM tips

nanolithography

TIMES NANO Chengdu Zhongke Times Nano Energy Tech Co., Ltd.

Mail to: carbon@cioc.ac.cn times@cioc.ac.cn [Http://www.timesnano.com](http://www.timesnano.com)

Tel:+86-28-85236765

Fax:+86-28-85215069

nanoelectrodes

drug delivery

sensors

Reinforcements in composites

Supercapacitor